

SAFETY DATA SHEET

PRODUCT NAME:

Biosolve Plus

AS SOLD BY VETOQUINOL CANADA

A Service of



SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

SECTION 1. IDENTIFICATION

Product name : Biosolve™ Plus

Product code : 000000000062012436

Other means of identification : No data available

Manufacturer or supplier's details

Company : LANXESS Canada Co.
Product Safety and Regulatory Affairs
25 Erb Street
Elmira, Canada N3B 2J3

Responsible Department : YLXS-YADD00000000052
+1800LANXESS

Emergency telephone number : In an emergency, CANUTEC may be called collect at:
613.996.6666 (24 hrs)
*666 cellular (Canada only)

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations (WHMIS 2015).

Skin corrosion : Category 1

Serious eye damage : Category 1

Skin sensitisation : Sub-category 1B

Specific target organ toxicity - single exposure (Inhalation) : Category 1 (Respiratory Tract)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Respiratory Tract)

GHS label elements

Hazard pictograms : 

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Causes damage to organs (Respiratory Tract) if inhaled.
May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
IF exposed or concerned: Call a POISON CENTER/ doctor.
If skin irritation or rash occurs: Get medical advice/ attention.
Take off contaminated clothing and wash it before reuse.

Storage:
Store locked up.

Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Solution of sodium hydroxide in water.
and
Sodium salts

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

SAFETY DATA SHEET

Biosolve™ Plus



Version 1.1 Revision Date: 10/14/2020 SDS Number: 203000013996 Date of last issue: 09/29/2020
Country / Language: CA / EN

sodium hydroxide	1310-73-2	$\geq 5 - < 10$
tetrasodium ethylenediaminetetraacetate	64-02-8	$\geq 1 - < 5$
Ethoxylated branched C9-11, C10-rich alcohols	78330-20-8	$\geq 1 - < 5$
Coconut oil amidopropyl betaine	61789-40-0	$\geq 1 - < 5$

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : Get medical attention immediately.
Call a physician or poison control centre immediately.
Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.
If not breathing, if breathing is irregular or respiratory arrest occurs, provide artificial respiration, or oxygen by a trained professional, using a pocket type respirator.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
If unconscious, place in recovery position and get medical attention immediately.
Maintain open airway.
Loosen tight clothing such as a collar, tie, belt or waistband.
In case of inhalation of decomposition products in a fire, symptoms may be delayed.
The exposed person may need to be kept under medical surveillance for 48 hours.
- In case of skin contact : Get medical attention immediately.
Call a physician immediately.
Immediately flush skin with large amounts of water.
Remove contaminated clothing and shoes.
Continue to rinse for at least 10 minutes.
Chemical burns must be treated promptly by a physician.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
In the event of any complaints or symptoms, avoid further exposure.
- In case of eye contact : Get medical attention immediately.
Call a physician.
Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
Remove contact lenses.
Continue to rinse for at least 10 minutes.

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Chemical burns must be treated promptly by a physician.

If swallowed :

- Get medical attention immediately.
- Call a physician immediately.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- If conscious, drink plenty of water.
- Stop if the exposed person feels sick as vomiting may be dangerous.
- Do not induce vomiting unless directed to do by medical personnel.
- If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
- Chemical burns must be treated promptly by a physician.
- Never give anything by mouth to an unconscious person.
- If unconscious, place in recovery position and get medical attention immediately.
- Maintain open airway.
- Loosen tight clothing such as a collar, tie, belt or waistband.
- Rinse mouth with water.

Most important symptoms and effects, both acute and delayed

Symptoms :

- Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage.
- Skin: Reddening, burning, and possible permanent damage. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
- Inhalation: Causes respiratory tract burns.
- Burns to the respiratory tract can cause swelling that could require a tracheotomy. Pulmonary edema may be delayed for several hours up to several days. Many hydrofluoric acid fatalities have been due to severe pulmonary edema. Toxic effects can also include depletion of calcium in the body, which can result in death if not treated.

Effects :

- May cause an allergic skin reaction.
- Causes serious eye damage.
- Causes damage to organs if inhaled.
- May cause damage to organs through prolonged or repeated exposure if inhaled.
- Causes severe burns.

Protection of first-aiders :

- No action shall be taken involving any personal risk or without suitable training.
- It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

- cumstances and the surrounding environment.
In case of fire, use water spray (fog), foam, dry chemical or CO₂.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products : Metal oxides
Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)
Halogenated compounds
- Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for firefighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Evacuate personnel to safe areas.
Keep unnecessary and unprotected personnel from entering.
Do not touch or walk through spilled material.
Do not breathe vapours or spray mist.
Provide adequate ventilation.
Put on appropriate personal protection equipment.
- Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.
Move containers from spill area.
Wash spillages into an effluent treatment plant or proceed as follows.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SAFETY DATA SHEET

Biosolve™ Plus



Version 1.1 Revision Date: 10/14/2020 SDS Number: 203000013996 Date of last issue: 09/29/2020
Country / Language: CA / EN

Dispose of wastes in an approved waste disposal facility.
Do not allow into the sewerage system, surface waters or groundwater or into the soil.
Keep people away from and upwind of spill/leak.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Workers should wash hands and face before eating, drinking and smoking.
Remove contaminated clothing and protective equipment before entering eating areas.
Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.
Empty containers retain product residue; observe all precautions for product.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Store locked up.
Keep containers sealed until ready for use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	C	2 mg/m ³	CA QC OEL
		C	2 mg/m ³	ACGIH

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Personal protective equipment

- Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize exposure.
- Hand protection
Material : Permeation resistant gloves.
- Eye protection : Chemical resistant goggles must be worn.
If inhalation hazards exist, a full-face respirator may be required instead.
- Skin and body protection : Permeation resistant clothing and foot protection.
- Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Appropriate techniques should be used to remove potentially contaminated clothing.
Wash contaminated clothing before reusing.
Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid, viscous
- Colour : blue
- Odour : strong, aliphatic
- Odour Threshold : No data available
- pH : 13 - 14
- Melting point/range : 0 °C
- Boiling point/boiling range : 100 °C
(1,013 hPa)
- Flash point : > 93 °C

Method: Pensky-Martens., closed cup

SAFETY DATA SHEET

Biosolve™ Plus



Version 1.1	Revision Date: 10/14/2020	SDS Number: 203000013996	Date of last issue: 09/29/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Evaporation rate	:	No data available
Self-ignition	:	No data available
Burning number	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	21.33 hPa (25 °C)
Relative density	:	1.13
Density	:	1.12 - 1.14 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Metal corrosion rate	:	Not corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No specific data.

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Incompatible materials : Incompatible with acids and bases.

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

tetrasodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): 1,658 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Ethoxylated branched C9-11, C10-rich alcohols:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Coconut oil amidopropyl betaine:

Acute oral toxicity : LD50 (Rat): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Skin corrosion/irritation

Causes severe burns.

Product:

Result : Corrosive after 4 hours or less of exposure

Components:

sodium hydroxide:

Species : Rabbit
Result : Causes severe burns.

tetrasodium ethylenediaminetetraacetate:

Species : Rabbit
Result : No skin irritation

Coconut oil amidopropyl betaine:

Remarks : Irritant

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result : Corrosive

Components:

sodium hydroxide:

Species : Rabbit
Result : Risk of serious damage to eyes.

tetrasodium ethylenediaminetetraacetate:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Ethoxylated branched C9-11, C10-rich alcohols:

Result : Risk of serious damage to eyes.

Coconut oil amidopropyl betaine:

Remarks : Irritant

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

tetrasodium ethylenediaminetetraacetate:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.

Coconut oil amidopropyl betaine:

Exposure routes	:	Skin contact
Result	:	The product is a skin sensitiser, sub-category 1B.

Remarks	:	Sensitising
---------	---	-------------

Germ cell mutagenicity

Not classified based on available information.

Components:

sodium hydroxide:

Genotoxicity in vitro	:	Test system: Bacteria Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	---	---

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mammalian-Animal Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative
----------------------	---	--

tetrasodium ethylenediaminetetraacetate:

Genotoxicity in vitro	:	Test Type: Ames test Test system: Bacteria Metabolic activation: with and without metabolic activation Result: negative
-----------------------	---	--

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

STOT - single exposure

Causes damage to organs (Respiratory Tract) if inhaled.

Product:

Exposure routes	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Components:

tetrasodium ethylenediaminetetraacetate:

Exposure routes	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

sodium hydroxide:

Toxicity to fish	:	LC50 (Trout): 45.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

tetrasodium ethylenediaminetetraacetate:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 121 mg/l Exposure time: 96 h Remarks: Fresh water
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 610 mg/l Exposure time: 24 h Method: ISO 6341

SAFETY DATA SHEET

Biosolve™ Plus



Version 1.1	Revision Date: 10/14/2020	SDS Number: 203000013996	Date of last issue: 09/29/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Remarks: Fresh water

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l
Exposure time: 72 h
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 25.7 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Fresh water

Persistence and degradability

Components:

sodium hydroxide:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

tetrasodium ethylenediaminetetraacetate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 10 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Ethoxylated branched C9-11, C10-rich alcohols:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

tetrasodium ethylenediaminetetraacetate:

Bioaccumulation : Bioconcentration factor (BCF): 1.8

Mobility in soil

No data available

Other adverse effects

No data available

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	: UN 1824
Proper shipping name	: Sodium hydroxide solution
Class	: 8
Packing group	: II
Labels	: 8



Packing instruction (cargo aircraft)	: 855 : 30.00 L
Packing instruction (passenger aircraft)	: 851 : 1.00 L

IMDG-Code

UN number	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION

Class	: 8
Packing group	: II
Labels	: 8



EmS Code	: F-A, S-B
Marine pollutant	: no

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8
:



ERG Code : 154
Marine pollutant : no
Hazard and Handling Notes. : Corrosive., Keep away from foodstuffs, acids and alkalis

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : formaldehyde
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts
ethane-1,2-diol (Aerosol)

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SAFETY DATA SHEET


Biosolve™ Plus



Version 1.1	Revision Date: 10/14/2020	SDS Number: 203000013996	Date of last issue: 09/29/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Further information

NFPA:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / C	:	Ceiling limit
CA QC OEL / C	:	Ceiling

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No

SAFETY DATA SHEET

Biosolve™ Plus



Version	Revision Date:	SDS Number:	Date of last issue: 09/29/2020
1.1	10/14/2020	203000013996	Country / Language: CA / EN

Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 10/14/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.